



Crop Progress and Condition

NATIONAL AGRICULTURAL STATISTICS SERVICE

United States Department of Agriculture • Washington, DC 20250

Northwest Regional Field Office • Olympia, WA 98507

Ag Statistics Hotline: 1-800-727-9540 • www.nass.usda.gov



Released: April 18, 2016
Week Ending: April 17, 2016

In Cooperation with...

- Cooperative Extension Service, Washington State University
- Cooperative Extension Service, University of Idaho
- Idaho State Department of Agriculture
- Oregon State Department of Agriculture
- USDA, Farm Service Agency

Regional Contacts

Phone: 1-800-435-5883

Email: nassrfonwr@nass.usda.gov

- Washington – Christopher Mertz, NW Regional Director
- Idaho – Vince Matthews, State Statistician
- Oregon – Dave Losh, State Statistician
- Alaska – Sue Benz, State Statistician

Idaho Planting Getting Traction As Weather Warms Up

Days suitable for fieldwork were 4.8. Pasture and range conditions were reported to be 4% very poor, 6% poor, 21% fair, 52% good, and 17% excellent. Temperatures rose throughout the state, which helped the alfalfa crop. Some areas, such as Fremont County, were unable to begin planting due to snow. The state received widespread rain which helped counties like Bannock and Bingham. The rain slowed the planting of small grains. In the southwest region of the state, fields of winter wheat were sprayed out to possibly plant higher value crops. In Washington County, blue mustard and flaxweed were prevalent in winter wheat fields. Jerome County had beets and potatoes being planted as spring cereals were finished up. Corn planting began in the state and was expected to continue next week. Overall, Idaho warmed up and was dry enough in some areas to continue planting this year's crops.

Warmer Temperatures Improved Growing Conditions in Oregon

There were 5.1 days suitable for fieldwork last week. Pasture and range conditions were reported to be 3% very poor, 7% poor, 30% fair, 44% good and 16% excellent. The northwest region reported warmer weather which improved growing conditions, but caused some crops to need irrigation. Heavy rains resupplied soil moisture, but limited planting due to compaction. Spring vegetables and fruit looked good. Grass silage harvest continued and decent regrowth showed in previously harvested fields. In the north central region the week was mostly dry with rain midweek. Temperatures dipped to near critical levels for orchard crops in isolated areas and frost protection was used. The Hood River Valley reported d'Anjou pears at post bloom, Red Delicious apples past full bloom, and Bing cherries at post bloom. Sweet cherries in Wasco County completed their bloom. In the northeastern region, the hot, dry weather concerned farmers. The southeastern region received a good amount of precipitation during the week. Lake County reported being at 112 % of normal rainfall since the beginning of the water year. Producers reported nearing the end of the spring calving season. Harney County reported a cold front mid-week, which brought cooler temperatures and windy conditions. Temperatures warmed over the weekend. Some livestock producers turned cattle out onto lower elevation rangeland pastures. Others were branding prior to turning cattle out onto rangelands. The southwestern region reported warm, breezy conditions, which dried out bottom land. A significant storm mid-week downed trees in some locations. Some fruit trees bloomed. Pasture and rangeland grasses grew well. Some fertilizer was applied to pastures where conditions allowed. Water levels in creeks remained high. Cattle were off bottoms due to soft and muddy conditions. The high temperature for the region was near 80 degrees Fahrenheit, with a low near 41 degrees Fahrenheit. Coos and Curry Counties reported precipitation levels were at 75.27 inches, 10.26 inches above the 5-year average. Jackson County reported three days of record high temperatures of 80 degrees Fahrenheit or above, followed by strong winds which downed trees and sheds in the Rogue and Illinois Valleys. Douglas County reported that fields were a bit dry. They received nearly an inch of rain during the week which caused delays for some fieldwork. Fungicides were sprayed on orchard crops, berry crops, grass seed, and vineyards. Pollination of all tree fruit crops looked good. Crop prospects looked good and irrigation water supply continued to look promising.

Higher Temperatures Lead To More Field Work in Washington

There were 6.0 days suitable for work. Pasture conditions were reported as 0% very poor, 0 % poor, 30% fair, 65% good, and 5% excellent. Temperatures throughout the state ranged from the 28 degrees to 86 degrees Fahrenheit. Temperatures were warmer than usual for this time of year. Throughout the state, the weather alternated between warm and sunny to cloudy with light rain. Apples, pears, and plums were in full bloom in Snohomish and Chelan Counties. Fruit growers used frost control measures. In Whatcom County, berries responded well to the warm temperatures. Pastures grew well, which allowed cattlemen to move their cattle out to pasture. Hay and pastures looked great throughout the state. In some counties, such as Kittitas and Adams, alfalfa was ahead of normal development. This caused alfalfa producers to start preparing for a first cutting early. Potatoes, onions, peas, and corn were planted throughout the state as temperatures rose and fields dried out. Overall, Washington had enough warmth and the proper moisture content to push forward with planting.

Soil Moisture and Irrigation Water Supply — Idaho, Oregon, and Washington: Week Ending 04/17/16

| Item and State | Very short | Short | Adequate | Surplus |
|------------------|------------|-----------|-----------|-----------|
| | (percent) | (percent) | (percent) | (percent) |
| Topsoil moisture | | | | |
| Idaho..... | - | 8 | 80 | 12 |
| Oregon..... | 4 | 15 | 65 | 16 |
| Washington..... | 1 | 10 | 83 | 6 |
| Subsoil moisture | | | | |
| Idaho..... | 1 | 3 | 88 | 8 |
| Oregon..... | 4 | 13 | 72 | 11 |
| Washington..... | 1 | 8 | 88 | 3 |

- Represents zero.

Crop Condition — Idaho, Oregon, and Washington: Week Ending 04/17/16

| Crop and State | Very poor | Poor | Fair | Good | Excellent |
|-----------------|-----------|-----------|-----------|-----------|-----------|
| | (percent) | (percent) | (percent) | (percent) | (percent) |
| Winter wheat | | | | | |
| Idaho..... | - | 1 | 9 | 70 | 20 |
| Oregon..... | - | - | 34 | 58 | 8 |
| Washington..... | 1 | 3 | 16 | 70 | 10 |
| Spring wheat | | | | | |
| Oregon..... | - | - | - | 62 | 38 |
| Washington..... | - | - | 23 | 76 | 1 |
| Barley | | | | | |
| Oregon..... | - | - | 22 | 53 | 25 |
| Washington..... | - | - | 20 | 79 | 1 |
| Oats | | | | | |
| Oregon..... | - | - | 22 | 55 | 23 |
| Washington..... | - | - | 15 | 85 | - |

- Represents zero.

Weekly Weather Statistics — Idaho: April 11 - April 17, 2016

| Weather station | Air temperature | | | | Growing degree days | | Last week precipitation | | | Season cumulative precipitation | | | | |
|-----------------------|-----------------|----|-----|-----|---------------------|-----|-------------------------|-------|------|---------------------------------|-------|----------------|------|--|
| | Low | Hi | AVG | DFN | Base 50 | | Total inches | DFN | Days | Total inches | DFN | Percent normal | Days | |
| | | | | | Total | DFN | | | | | | | | |
| NORTH | | | | | | | | | | | | | | |
| Coeur d' Alene..... | 37 | 71 | 51 | +6 | 22 | +19 | 0.34 | -0.08 | 3 | 19.52 | +0.69 | 104 | 106 | |
| Fenn..... | 34 | 78 | 51 | +3 | 18 | -1 | 1.07 | +0.23 | 5 | 31.91 | +3.82 | 114 | 131 | |
| Lewiston..... | 37 | 75 | 55 | +4 | 36 | +12 | 0.54 | +0.26 | 4 | 9.31 | +1.35 | 117 | 94 | |
| Bonnors Ferry..... | 33 | 72 | 48 | +1 | 10 | +3 | 0.19 | -0.16 | 2 | 19.20 | +3.71 | 124 | 89 | |
| Nezperce..... | 30 | 67 | 46 | +2 | 8 | +8 | 0.76 | +0.27 | 4 | 13.55 | +1.49 | 112 | 127 | |
| SOUTHWEST | | | | | | | | | | | | | | |
| Boise..... | 31 | 76 | 53 | +3 | 27 | +3 | 0.34 | +0.06 | 5 | 11.08 | +2.11 | 124 | 111 | |
| Emmett..... | 31 | 78 | 52 | +3 | 27 | +4 | 0.28 | +0.00 | 3 | 10.07 | -0.52 | 95 | 78 | |
| Glenns Ferry..... | 32 | 75 | 52 | +3 | 19 | -3 | 0.37 | +0.23 | 6 | 9.71 | +2.16 | 129 | 82 | |
| Grand View..... | 32 | 79 | 53 | +2 | 25 | -2 | 0.33 | +0.19 | 2 | 4.96 | +0.11 | 102 | 58 | |
| Nampa..... | 36 | 75 | 53 | +3 | 23 | -2 | 0.13 | -0.12 | 3 | 6.24 | -0.99 | 86 | 77 | |
| Parma..... | 35 | 78 | 53 | +4 | 24 | +3 | 0.20 | -0.01 | 3 | 6.44 | -1.62 | 80 | 70 | |
| SOUTH CENTRAL | | | | | | | | | | | | | | |
| Fairfield..... | 26 | 69 | 47 | +5 | 4 | +4 | 0.28 | +0.07 | 3 | 11.80 | +0.56 | 105 | 85 | |
| Malta..... | 29 | 70 | 47 | +2 | 4 | +0 | 0.62 | +0.35 | 4 | 8.51 | +2.43 | 140 | 90 | |
| Picabo..... | 24 | 70 | 48 | +7 | 10 | +10 | 0.21 | +0.00 | 3 | 10.48 | +1.01 | 111 | 76 | |
| Rupert..... | 31 | 72 | 50 | +4 | 11 | +3 | 0.17 | -0.04 | 4 | 7.80 | +1.32 | 120 | 82 | |
| Twin Falls..... | 30 | 72 | 51 | +5 | 19 | +13 | 0.11 | -0.10 | 2 | 8.82 | +1.13 | 115 | 70 | |
| EAST | | | | | | | | | | | | | | |
| Aberdeen..... | 29 | 68 | 48 | +5 | 8 | +8 | 0.41 | +0.27 | 4 | 6.28 | +0.53 | 109 | 52 | |
| Ashton..... | 27 | 68 | 45 | +5 | 3 | +3 | 0.37 | +0.03 | 4 | 10.83 | -2.36 | 82 | 86 | |
| Fort Hall..... | 24 | 71 | 47 | +4 | 10 | +10 | 0.36 | +0.13 | 2 | 7.61 | +0.17 | 102 | 73 | |
| Idaho Falls..... | 26 | 70 | 48 | +4 | 12 | +12 | 0.41 | +0.20 | 2 | 6.02 | -0.54 | 92 | 62 | |
| Lava Hot Springs..... | 31 | 66 | 46 | +1 | 2 | +2 | 0.40 | +0.12 | 5 | 16.64 | +5.78 | 153 | 79 | |
| Montevue..... | 27 | 72 | 47 | +4 | 9 | +9 | 0.13 | -0.08 | 1 | 3.19 | -1.79 | 64 | 44 | |
| Preston..... | 29 | 68 | 47 | +4 | 12 | +12 | 0.83 | +0.53 | 4 | 12.51 | +2.20 | 121 | 73 | |
| Rexburg..... | 24 | 70 | 47 | +4 | 7 | +7 | 0.27 | +0.01 | 3 | 7.19 | -1.10 | 87 | 78 | |

Crop Progress — Idaho: Week Ending 04/17/16

| Crop and activity | Percent completed | | | |
|---------------------------|-------------------|-----------|-----------|----------------|
| | This week | Last week | Last year | 5 Year average |
| Spring wheat planted..... | 46 | 30 | 66 | 55 |
| Winter wheat headed..... | 1 | - | 1 | - |
| Barley planted..... | 54 | 35 | 71 | 54 |
| Barley emerged..... | 9 | - | 22 | 15 |
| Oats planted..... | 34 | 20 | 36 | 40 |
| Oats emerged..... | 10 | 6 | 19 | 14 |
| Potatoes planted..... | 20 | 11 | 22 | 17 |
| Sugarbeets planted..... | 55 | 23 | 60 | 57 |
| Field corn planted..... | 10 | 1 | 8 | 6 |
| Dry peas planted..... | 7 | - | 34 | 23 |
| Onions planted..... | 81 | 75 | 68 | 82 |
| Onions emerged..... | 17 | - | 28 | 13 |

- Represents zero.

Weekly Weather Statistics — Washington: April 11 - April 17, 2016

| Weather station | Air temperature | | | | Growing degree days | | Last week precipitation | | | Season cumulative precipitation | | | | |
|-----------------------|-----------------|----|-----|-----|---------------------|-----|-------------------------|-------|------|---------------------------------|--------|----------------|------|--|
| | Low | Hi | AVG | DFN | Base 50 | | Total inches | DFN | Days | Total inches | DFN | Percent normal | Days | |
| | | | | | Total | DFN | | | | | | | | |
| WEST | | | | | | | | | | | | | | |
| Bellingham | 40 | 70 | 52 | +4 | 15 | +8 | 0.57 | -0.06 | 3 | 31.39 | +3.09 | 111 | 138 | |
| Everett | 43 | 71 | 52 | +3 | 19 | +8 | 0.23 | -0.47 | 4 | 33.97 | +5.01 | 117 | 141 | |
| Hoquiam | 42 | 80 | 53 | +5 | 22 | +13 | 1.01 | -0.15 | 3 | 73.33 | +14.91 | 126 | 146 | |
| Kelso | 39 | 86 | 55 | +6 | 34 | +20 | 0.92 | +0.04 | 3 | 57.98 | +18.68 | 148 | 142 | |
| Olympia | 35 | 80 | 51 | +4 | 12 | +6 | 0.95 | +0.10 | 4 | 61.15 | +17.57 | 140 | 143 | |
| Sea-Tac | 44 | 80 | 54 | +5 | 31 | +17 | 0.57 | -0.04 | 4 | 44.91 | +13.83 | 144 | 133 | |
| Shelton | 33 | 79 | 50 | +2 | 10 | -3 | 0.71 | -0.35 | 4 | 79.39 | +21.90 | 138 | 146 | |
| Tacoma | 36 | 79 | 52 | +2 | 17 | +4 | 0.91 | +0.18 | 4 | 43.26 | +9.81 | 129 | 143 | |
| Vancouver | 38 | 81 | 54 | +4 | 32 | +13 | 0.73 | +0.10 | 3 | 43.15 | +12.66 | 142 | 140 | |
| CENTRAL | | | | | | | | | | | | | | |
| Ellensburg | 34 | 75 | 53 | +7 | 27 | +21 | 0.23 | +0.09 | 2 | 10.46 | +3.48 | 150 | 81 | |
| Omak | 33 | 74 | 54 | +5 | 29 | +14 | 0.32 | +0.04 | 1 | 12.47 | +3.85 | 145 | 79 | |
| Stampede Pass | 30 | 53 | 39 | +3 | 0 | +0 | 0.77 | -0.58 | 4 | 80.53 | +10.82 | 116 | 149 | |
| Wenatchee | 38 | 75 | 56 | +5 | 44 | +22 | 0.50 | +0.43 | 1 | 10.70 | +4.28 | 167 | 71 | |
| Yakima AP | 34 | 79 | 55 | +8 | 38 | +27 | 0.26 | +0.12 | 1 | 9.46 | +3.08 | 148 | 69 | |
| NORTHEAST | | | | | | | | | | | | | | |
| Colville | 35 | 73 | 52 | +5 | 18 | +12 | 0.16 | -0.19 | 3 | 14.37 | -0.74 | 95 | 94 | |
| Deer Park | 28 | 73 | 49 | +4 | 7 | +6 | 0.22 | -0.20 | 2 | 18.79 | -0.06 | 100 | 100 | |
| Kettle Falls | 35 | 76 | 52 | +3 | 19 | +5 | 0.25 | -0.10 | 2 | 16.13 | +3.18 | 125 | 108 | |
| Spokane | 33 | 72 | 52 | +6 | 22 | +19 | 0.05 | -0.23 | 1 | 14.63 | +2.73 | 123 | 100 | |
| EAST CENTRAL | | | | | | | | | | | | | | |
| Ephrata | 36 | 75 | 55 | +4 | 34 | +12 | 0.11 | +0.04 | 1 | 6.78 | +1.11 | 120 | 68 | |
| Lind | 32 | 76 | 53 | +5 | 28 | +14 | 0.13 | -0.05 | 2 | 10.30 | +2.92 | 140 | 78 | |
| Moses Lake | 34 | 77 | 55 | +4 | 38 | +16 | 0.08 | +0.01 | 1 | 7.85 | +2.18 | 138 | 72 | |
| Quincy | 36 | 80 | 55 | +5 | 38 | +19 | 0.17 | +0.10 | 1 | 11.52 | +5.50 | 191 | 74 | |
| Ritzville | 33 | 72 | 51 | +4 | 14 | +8 | 0.14 | -0.07 | 2 | 12.05 | +2.85 | 131 | 78 | |
| SOUTHEAST | | | | | | | | | | | | | | |
| Hanford | 37 | 76 | 55 | +2 | 40 | +7 | 0.21 | +0.12 | 3 | 6.61 | +1.17 | 122 | 66 | |
| Lake Bryan Rice | 38 | 81 | 56 | +8 | 45 | +30 | 0.25 | -0.03 | 2 | 14.10 | +2.86 | 125 | 84 | |
| Pasco | 35 | 80 | 57 | +4 | 51 | +18 | 0.26 | +0.18 | 2 | 6.04 | -0.08 | 99 | 76 | |
| Pullman | 35 | 69 | 50 | +5 | 11 | +10 | 0.39 | +0.01 | 4 | 17.32 | +1.74 | 111 | 95 | |
| Silcott Island | 40 | 79 | 56 | +6 | 44 | +20 | 0.57 | +0.29 | 3 | 7.17 | -0.79 | 90 | 70 | |
| Walla Walla | 39 | 74 | 56 | +4 | 41 | +15 | 0.43 | +0.01 | 4 | 14.53 | -0.96 | 94 | 95 | |
| Whitman Mission | 34 | 80 | 54 | +4 | 31 | +11 | 0.42 | +0.14 | 4 | 13.46 | +2.99 | 129 | 110 | |

Crop Progress — Washington: Week Ending 04/17/16

| Crop and activity | Percent completed | | | |
|----------------------------|-------------------|-----------|-----------|----------------|
| | This week | Last week | Last year | 5 Year average |
| Spring wheat planted | 63 | 42 | 83 | 55 |
| Spring wheat emerged | 35 | 30 | 26 | 19 |
| Winter wheat headed | 1 | - | - | - |
| Barley planted | 38 | 30 | 63 | 36 |
| Barley emerged | 23 | 19 | 8 | 6 |
| Oats planted | 33 | 16 | 28 | (NA) |
| Oats emerged | 28 | 11 | 7 | (NA) |
| Potatoes planted | 29 | 5 | 74 | 54 |
| Field corn planted | 29 | 1 | 13 | 18 |
| Dry peas planted | 40 | 16 | 48 | 26 |
| Onions planted | 63 | 48 | 47 | (NA) |

- Represents zero.

(NA) Not available.

Weekly Weather Statistics — Oregon: April 11 - April 17, 2016

| Weather station | Air temperature | | | | Growing degree days | | Last week precipitation | | | Season cumulative precipitation | | | | |
|------------------------|-----------------|----|-----|-----|---------------------|-----|-------------------------|-------|------|---------------------------------|--------|----------------|------|--|
| | Low | Hi | AVG | DFN | Base 50 | | Total inches | DFN | Days | Total inches | DFN | Percent normal | Days | |
| | | | | | Total | DFN | | | | | | | | |
| COASTAL AREAS | | | | | | | | | | | | | | |
| Astoria | 38 | 85 | 53 | +6 | 28 | +21 | 0.82 | -0.33 | 3 | 80.78 | +23.57 | 141 | 150 | |
| Bandon | 41 | 77 | 54 | +5 | 29 | +15 | 1.14 | +0.07 | 3 | 65.35 | +13.61 | 126 | 140 | |
| Florence | 38 | 87 | 53 | +4 | 26 | +12 | 1.81 | +0.61 | 3 | 74.08 | +11.15 | 118 | 144 | |
| North Bend | 43 | 86 | 56 | +6 | 40 | +26 | 1.33 | +0.13 | 2 | 55.49 | -0.64 | 99 | 113 | |
| Tillamook | 36 | 82 | 52 | +5 | 22 | +15 | 0.86 | -0.73 | 4 | 62.75 | -13.93 | 82 | 150 | |
| WILLAMETTE VALLEY | | | | | | | | | | | | | | |
| Aurora | 37 | 84 | 54 | +5 | 35 | +21 | 0.76 | +0.02 | 4 | 44.60 | +8.97 | 125 | 150 | |
| Corvallis | 38 | 80 | 53 | +4 | 26 | +12 | 0.83 | +0.13 | 3 | 41.88 | +4.35 | 112 | 142 | |
| Detroit Lake | 35 | 84 | 51 | +3 | 24 | +10 | 2.51 | +0.79 | 4 | 81.64 | +6.70 | 109 | 144 | |
| Eugene | 38 | 78 | 54 | +5 | 29 | +15 | 1.42 | +0.57 | 2 | 36.62 | -7.19 | 84 | 127 | |
| Hillsboro | 34 | 80 | 54 | +3 | 29 | +8 | 0.67 | +0.11 | 3 | 40.82 | +8.37 | 126 | 133 | |
| McMinnville | 35 | 84 | 54 | +5 | 33 | +17 | 0.75 | +0.10 | 2 | 46.71 | +10.05 | 127 | 137 | |
| Portland | 40 | 81 | 56 | +5 | 41 | +22 | 1.03 | +0.40 | 3 | 42.15 | +11.66 | 138 | 133 | |
| Salem | 39 | 84 | 55 | +6 | 38 | +24 | 1.00 | +0.37 | 2 | 42.53 | +8.36 | 124 | 124 | |
| SOUTHWESTERN VALLEYS | | | | | | | | | | | | | | |
| Grants Pass | 39 | 77 | 55 | +6 | 42 | +21 | 1.02 | +0.55 | 2 | 38.37 | +10.57 | 138 | 113 | |
| Medford | 39 | 87 | 58 | +7 | 58 | +32 | 0.58 | +0.30 | 3 | 18.27 | +3.10 | 120 | 94 | |
| Roseburg | 41 | 89 | 58 | +7 | 61 | +32 | 1.11 | +0.47 | 2 | 35.10 | +6.28 | 122 | 120 | |
| NORTH CENTRAL | | | | | | | | | | | | | | |
| Condon | 33 | 69 | 48 | +4 | 8 | +8 | 0.46 | +0.15 | 3 | 19.91 | +9.54 | 192 | 129 | |
| Echo | 34 | 77 | 56 | +3 | 40 | +10 | 0.24 | +0.05 | 2 | 6.74 | -1.33 | 84 | 75 | |
| Heppner | 34 | 72 | 51 | +3 | 14 | -2 | 0.28 | +0.00 | 3 | 7.79 | -2.17 | 78 | 77 | |
| Hermiston | 34 | 77 | 56 | +4 | 47 | +17 | 0.18 | -0.01 | 2 | 7.14 | -0.93 | 88 | 74 | |
| Madras | 30 | 75 | 49 | +4 | 11 | +9 | 0.06 | -0.15 | 3 | 6.87 | -1.83 | 79 | 78 | |
| Moro | 31 | 68 | 49 | +3 | 11 | +6 | 0.10 | -0.11 | 3 | 9.85 | +0.96 | 111 | 85 | |
| Parkdale | 31 | 74 | 49 | +3 | 7 | -4 | 0.23 | -0.26 | 3 | 47.75 | +19.04 | 166 | 126 | |
| Pendleton | 34 | 74 | 54 | +4 | 32 | +10 | 0.13 | -0.10 | 4 | 9.46 | +0.15 | 102 | 83 | |
| Prairie City | 26 | 73 | 46 | +7 | 6 | +6 | 0.35 | +0.01 | 4 | 10.23 | -5.30 | 66 | 110 | |
| The Dalles | 35 | 82 | 56 | +4 | 48 | +17 | 0.15 | -0.02 | 2 | 14.84 | +2.28 | 118 | 90 | |
| SOUTH CENTRAL | | | | | | | | | | | | | | |
| Agency Lake | 35 | 77 | 50 | +7 | 18 | +18 | 0.33 | -0.02 | 3 | 16.03 | -0.86 | 95 | 86 | |
| Bend | 27 | 78 | 49 | +6 | 17 | +17 | 0.00 | -0.14 | 0 | 6.72 | -1.83 | 79 | 58 | |
| Burns | 20 | 74 | 48 | +6 | 15 | +15 | 0.11 | -0.06 | 2 | 8.64 | +0.98 | 113 | 79 | |
| Christmas Valley | 19 | 74 | 45 | +4 | 3 | +3 | 0.05 | -0.16 | 1 | 5.73 | -1.99 | 74 | 82 | |
| Klamath Falls | 26 | 73 | 48 | +5 | 13 | +13 | 0.33 | +0.15 | 3 | 9.31 | -0.03 | 100 | 66 | |
| Lakeview | 24 | 72 | 44 | +1 | 2 | +2 | 0.59 | +0.31 | 4 | 9.74 | -1.86 | 84 | 92 | |
| Lorella | 22 | 75 | 45 | +0 | 0 | +0 | 0.67 | +0.46 | 5 | 9.99 | +1.80 | 122 | 86 | |
| Redmond | 26 | 77 | 50 | +5 | 18 | +18 | 0.19 | +0.05 | 2 | 6.12 | +0.52 | 109 | 60 | |
| Worden | 28 | 73 | 46 | +3 | 5 | +5 | 0.40 | +0.22 | 5 | 12.06 | +2.92 | 132 | 82 | |
| NORTHEAST | | | | | | | | | | | | | | |
| Baker City | 20 | 74 | 47 | +3 | 9 | +9 | 0.31 | +0.10 | 4 | 4.85 | -1.24 | 80 | 71 | |
| Joseph | 28 | 70 | 46 | +2 | 5 | +5 | 0.31 | -0.13 | 4 | 6.01 | -6.30 | 49 | 60 | |
| La Grande | 30 | 75 | 51 | +6 | 21 | +18 | 0.30 | -0.05 | 4 | 8.38 | -3.43 | 71 | 79 | |
| Imbler | 29 | 74 | 49 | +3 | 10 | -2 | 0.45 | -0.04 | 3 | 11.52 | -6.93 | 62 | 96 | |
| SOUTHEAST | | | | | | | | | | | | | | |
| Ontario | 35 | 79 | 55 | +5 | 35 | +10 | 0.13 | -0.01 | 3 | 7.37 | +0.36 | 105 | 64 | |
| Rome | 27 | 77 | 52 | +8 | 24 | +24 | 0.48 | +0.22 | 4 | 6.38 | +0.62 | 111 | 51 | |

Summary based on NWS data.

Season cumulative precipitation starts: September 1, 2015.

DFN = Departure from normal.

NA = Data not available.

Precipitation (rain or melted snow/ice) in inches.

Precipitation days= Days with precipitation of 0.01 inch or more.

Air temperature in degrees Fahrenheit.

Normals period 1971-2000 used in DFN calculations.

For more weather information visit www.awis.com or call 1-888-798-9955.

Copyright 2015 AWIS, Inc. All rights reserved

Crop Progress — Oregon: Week Ending 04/17/16

| Crop and activity | Percent completed | | | |
|----------------------------|-------------------|-----------|-----------|----------------|
| | This week | Last week | Last year | 5 Year average |
| Spring wheat planted | 67 | 58 | 81 | 67 |
| Spring wheat emerged | 47 | 43 | 51 | 41 |
| Barley planted | 65 | 50 | 77 | 67 |
| Barley emerged | 45 | 39 | 24 | 38 |
| Oats planted | 37 | 28 | 56 | (NA) |
| Oats emerged | 28 | 24 | 11 | (NA) |
| Potatoes planted | 20 | 2 | 54 | (NA) |
| Sugarbeets planted | 20 | 4 | 38 | (NA) |
| Dry peas planted | 7 | 3 | 28 | (NA) |
| Onions planted | 65 | 48 | (NA) | (NA) |
| Onions emerged | 10 | - | (NA) | (NA) |

- Represents zero.

(NA) Not available.

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site <http://www.nass.usda.gov>
- Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit <http://www.nass.usda.gov>. Hover over the “Publications” drop down. Under "Receive reports by Email" section in the lower right corner, select the report(s) you would like to receive.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.